JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

Ecological and Health Consequences of the Power Generation Emissions

Sandeep Kumar
Department of Physics
HNB Government PG College, Naini Prayagraj, Uttar Pradesh INDIA – 211008

Abstract

Power generation, particularly from fossil fuel-based thermal power plants, remains a dominant source of air pollution worldwide. Among the most concerning pollutants emitted from these facilities are sulphur dioxide (SO_2), nitrogen oxides (NO_x), and mercury—each of which poses significant risks to both human health and environmental stability. Approximately 70% of total SO_2 emissions, 20% of NO_x, and 40% of mercury emissions originate from power plants, underlining their central role in air quality deterioration. Once released into the atmosphere, SO_2 and NO_x react with water vapour to form acid rain, which damages forests, soils, and aquatic ecosystems, while also accelerating the corrosion of infrastructure. Additionally, NO_x compounds contribute to the formation of ground-level ozone and fine particulate matter (PM2.5), both of which are linked to severe respiratory and cardiovascular diseases. Mercury emissions are particularly hazardous due to their ability to bioaccumulation in aquatic food chains as methyl mercury, a neurotoxin that poses a threat to wildlife and human populations reliant on fish consumption. The cumulative effect of these pollutants not only exacerbates global environmental degradation but also places an immense burden on public health systems. Therefore, addressing emissions from power generation is a critical priority in efforts to achieve cleaner air, protect ecosystems, and promote sustainable energy transitions.

Keywords: International Energy Agency (IEA), Carbon Monoxide (CO), Carbon dioxie (CO_2), Sulfur dioxide (SO_2), Nitrogen oxides (NO_x), Ozone (O_3).

1. Introduction

The release of SO_2 and NO_x into the atmosphere leads to the formation of acidic compounds, fine particulate matter, and ozone (WHO, 1999). These pollutants can persist in the air for extended periods, with winds carrying them across vast distances, often crossing state or national borders. Once deposited, either through wet (rain, snow, fog) or dry (gases, particles) forms, they cause severe damage to air quality, public health, visibility, aquatic ecosystems, forests, and even cultural heritage sites.

Mercury, primarily emitted from coal-burning power plants, can either be deposited locally or transported over long distances before settling in water bodies (WHO, 1999). This results in mercury accumulation in fish, leading to high concentrations in predatory species and harming birds and mammals that consume them.

Power plants also contribute directly to particulate pollution by emitting SO_2 and NO_x, which react in the atmosphere to form sulfate and nitrate particles. These particles pose numerous health risks, including increased premature deaths, respiratory and cardiovascular issues, and decreased lung function, particularly among vulnerable populations such as children, the elderly, and those with pre-existing heart or lung conditions (Health Effects Institute, 2020).

2. .Sources of Power Generation Emissions in India

India's energy sector is predominantly powered by thermal plants, especially coal-fired power plants, which are responsible for a large share of the nation's GHG emissions. According to the International Energy Agency (IEA), over 70% of India's electricity is generated from coal, making it one of the largest sources of carbon dioxide (CO2) emissions in the country.

2.1 Coal-Fired Power Plants

Coal as the Dominant Source: Coal is the most significant source of power generation in India (International Energy Agency, 2023). Although India has been trying to diversify its energy mix with renewables, coal-fired plants remain the backbone of its electricity grid. These plants emit a range of pollutants, including CO_2, sulfur dioxide (SO_2), nitrogen oxides (NO_x).

CO_2 Emissions: Coal combustion results in the release of large quantities of CO_2, the primary greenhouse gas responsible for global warming. According to data from the Indian Ministry of Power (MoP), coal-based power generation accounted for approximately 60% of India's total CO_2 emissions in 2020 (Ministry of Power, 2021).

Air Pollutants: In addition to CO_2, coal power plants emit significant amounts of SO2 and NO_x, which contribute to acid rain and respiratory problems among people (WHO, 1999).

2.2 Natural Gas and Oil-Fired Power Plants

Natural gas and oil contribute a smaller share of India's electricity generation but are still significant sources of emissions. These plants emit CO_2, although in lower quantities than coal, as well as other pollutants like NO_x, which contribute to smog and air quality degradation (WHO, 1999).

2.3 Renewable Energy and Nuclear Power

While renewables such as solar, wind, and hydro are growing rapidly in India, their share in the energy mix is still relatively small compared to coal (International Energy Agency, 2023). The Indian government aims to increase the share of renewables to 50% by 2030, but achieving this goal requires overcoming challenges related to storage, grid integration, and land use.

3. Impact of Power Plant Emissions on Health and Environment

3.1 Health Effects due to Emission Gases

SO_2 and NO_x emissions contribute to respiratory illnesses, increased hospitalizations, and reduced lung function (Health Effects Institute, 2020). Exposure to ground-level ozone, formed by the reaction of NOx and volatile organic compounds (VOCs) in the presence of sunlight, exacerbates asthma and other respiratory conditions, leading to more frequent health issues and emergency visits. Additionally, prolonged exposure can lead to chronic respiratory problems and irreversible lung damage.

3.1.1 Effects of Mercury Emission

Emissions of mercury from coal plants are transformed into methylmercury in water bodies, contaminating fish. Consumption of mercury-laden fish leads to neurological damage, particularly in fetuses and young children, impairing cognitive and motor skills (WHO, 1999).

3.2 Environmental Effects of Power Plant Emissions

3.2.1 Acid Rain

SO_2 and NO_x contribute to acidification of lakes and streams, reducing biodiversity and making survival difficult for aquatic life (Aunan et al., 1998). Acid rain also harms forests by directly damaging plant tissues and altering soil chemistry, making it harder for trees to absorb nutrients.

3.2.2 Coastal Ecosystems

Nitrogen deposition into estuaries and coastal waters disrupts the health of marine life, contributing to harmful algal blooms and loss of habitats like seagrass beds, which are vital for the survival of various marine species (Intergovernmental Panel on Climate Change, 2021).

3.2.3 Visibility and Regional Haze

Fine particles from SO_2 and NO_x emissions scatter light, reducing visibility and contributing to regional haze. This haze can obscure scenic views, especially in national parks and other protected areas, and lead to the deterioration of monuments and historical buildings made of limestone and marble due to acid deposition (WHO, 1999).

4 Health Effects of Specific Pollutants

4.1 Ozone (O_3)

Ground-level ozone, a key component of smog, forms when NO_x and VOCs react under sunlight. It aggravates respiratory conditions such as asthma and bronchitis, reduces lung function, and causes inflammation, leading to chronic health issues with prolonged exposure (Health Effects Institute, 2020).

4.2 Nitrogen Dioxide (NO_2)

Emitted mainly from motor vehicles and industrial processes, NO_2 irritates the lungs and contributes to the formation of ground-level ozone (WHO, 1999).. Long-term exposure increases the risk of respiratory infections and exacerbates asthma. Nitrogen deposition also causes acid rain and promotes eutrophication, reducing oxygen levels in water bodies, which harms aquatic ecosystems.

4.3 Sulfur Dioxide (SO_2)

SO_2, primarily produced from burning coal and oil, causes respiratory issues, aggravates heart disease, and damages plant life. Its role in acid rain also contributes to the degradation of water bodies, forests, and urban infrastructure (WHO, 1999).

4.4 Lead (Pb)

Lead emissions mainly come from industrial processes such as smelting and battery production. Chronic exposure leads to neurological damage, particularly in children, and can also cause kidney damage, high blood pressure, and other health issues (WHO, 1999).

4.5 Carbon Monoxide (CO)

Produced by incomplete combustion of carbon-based fuels, CO impairs oxygen delivery to organs and tissues, posing a significant risk to individuals with cardiovascular issues (WHO, 1999).

5 Environmental Regulations in India

In India, environmental regulation enforcement is the responsibility of the State and Central Pollution Control Boards (CPCB) under the Ministry of Environment, Forest and Climate Change (MoEFCC) (Ministry of Environment, Forest and Climate Change, 2021), Although the CPCB has set standards for particulate emissions, SO_2, and NO_x, compliance has been inconsistent. For instance, by 2006-07, about 28% of power plants did not meet particulate emission standards. Despite regulations prohibiting the use of high-ash coal in certain areas, the use of washed coal remains limited. Flue-gas desulfurization (FGD) units, designed to reduce SO_2 emissions, are not yet widespread, with only one plant having implemented such technology.

6 Conclusion

Power generation remains a significant source of pollution, contributing to a range of health problems and environmental degradation. While regulations exist to control emissions, enforcement and compliance remain challenges. Addressing these issues requires continued efforts to reduce emissions, improve regulatory enforcement, and adopt cleaner technologies in the power sector. The environmental impact of power generation depends on how and where the electricity is generated and delivered. Renewable sources like wind and solar emit little to no greenhouse gases or pollutants into the air.

References:

1. Aunan, K., G. Pátzay, H. Asbjorn Aaheim and H. Martin Seip (1998), “Health and Environmental Benefits from Air Pollution Reductions in Hungary”, *Science of the Total Environment* 212: 245-268.
2. Health Effects Institute (HEI). (2020). "State of Global Air 2020." Retrieved from https://www.stateofglobalair.org/
3. Intergovernmental Panel on Climate Change (IPCC). (2021). "Sixth Assessment Report: Climate Change 2021." Retrieved from https://www.ipcc.ch/report/ar6/wg1/
4. International Energy Agency (IEA). (2023). "India Energy Outlook 2023." Retrieved from https://www.iea.org/reports/india-energy-outlook-2023
5. Ministry of Environment, Forest and Climate Change (MoEFCC), Government of India. (2021). "Emission Norms for Power Plants." Retrieved from https://moef.gov.in/
6. Ministry of Power, Government of India. (2021). "Electricity Generation in India: 2021." Retrieved from https://www.powermin.gov.in/
7. Traditional and Current Environmental Risks to Human Health, WHO
8. WHO (World Health Organisation) (1999), *World Health Report: Making a Difference*, WHO, Geneva.
9. World Bank (1999), *World Development Indicators*, World Bank, Washington DC.